TOSHIBA

STUDIO 6529A STUDIO 7529A STUDIO 9029A

Monochrome Multifunctional Printers

- Monochrome A3 print, scan, copy and fax systems with a speed of up to 90 pages per minute for today's business needs
- Advanced technology combined with easeof-use for more efficiency in large-sized workgroups requiring reliable document output and excellent image quality
- Easy, fast and precise digitalisation of paper originals with the integrated Dual Scan Document Feeder including a Double Feed Detection function, which can process up to 240 pages per minute





Specifications

General Scan A4: 65/75/90 ppm Print & Copy Speed Resolution Max. 600 x 600 dpi A3: 30/37/40 ppm Dual Scan Document Feeder: up to 240 ppm Scan Speed (300 dpi) in colour and monochrome Warm-up Time ~ 15 seconds from low power mode Cassettes: A5R-320 x 460 mm, 60-300 g/m² Scan Modes Auto-Colour (ACS), Colour, Greyscale, Monochrome Paper Size & Weight Tandem LCF: A4, 60-300 g/m² Bypass: 100x148 mm-330x483 mm, 60-300 g/m², Banner paper (up to 313.4 x 1,200 mm, 90-163 g/m²) JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, **File Formats** Slim PDF, PDF/A-1b, PDF/A-2b, Searchable PDF (and other formats like DOCX, XLSX)? Cassettes: 2x 540 sheets plus Tandem-LCF: 1x 2,320 sheets **Paper Capacity** Scan Functions WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN Bypass: 1x 120 sheets Max. 8,020 sheets A5R-A3, 320 x 450mm-print only, 320 x 460 mm-print only, 305 x 457mm Automatic Duplex Copy and other formats, 60-256 g/m² **Resolution** (Output) equiv. 2,400 x 600 dpi (with smoothing) Controller Type Toshiba e-BRIDGE Next **First Copy Output Time** Monochrome: ~ 5.2/4.5/4.1 seconds **Control Panel** 26 cm (10.1") Multi-Touch Colour Panel Platen: 25-400%, DSDF: 25-200% Zoom Memory Security SSD 128 GB⁽¹⁾; 6 GB RAM Text/Photo, Text, Photo, Custom Copy Modes Interface 10Base-T/100Base-TX/1000Base-T, High Speed Rotate Sort, ID Card Copy, Edge Erase, **Copy Functions** USB 2.0, WLAN(IEEE802.11a/b/g/n/ac incl. WI-FI direct)/Bluetooth* 2-in-1/4-in-1 mode **Dimension & Weight** 955 x 698 x 1,227 mm (W x D x H), ~193 kg Fax* Initial Consumables Drum, Developer, Waste Toner Box Super G3, G3 - (opt. 2nd line) Internet Fax T.37 Communication **Transmission Speed** ~ 3 seconds per page Print Compression JBIG, MMR, MR, MH 600 x 600 dpi, 1 bit, Resolution 2,400dpi (Equivalence) x 600dpi (with smoothing), **Fax Memory** 1 GB Transmission/Reception 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) Network-Fax Driver for Windows 11/10. with PostScript driver only Windows Server 2022/2019/2016 PCL5e, PCL5c, PCL6 (PCL XL), PDF and PS3, (JPEG) **Page Description Incoming Fax Routing** To shared folders (SMB, FTP), E-Mail, e-Filing Language Supported Systems Windows 11/10, Windows Server 2022/2019/2016, Mac OS 10.12-14, Linux/Unix, Citrix, SAP, AS-400 System & Security TCP/IP (IPv4/IPv6), Ether Talk, Network Protocols **Device Management** Top Access for remote administration and NetBios over TCP/IP configuration **Mobile Printing** e-BRIDGE Print & Capture, Mopria® Print Service, System Features e-Filing document server for secure storage, AirPrint[®] Document distribution and Print-on-Demand (1 public box, 200 user boxes), over 1,2 million Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Print Functions one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Tandem Printing, E-Mail direct printing Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps

Accounting & Security Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Toshiba Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, Scan to Secure PDF, Pull-printing*

Options

EXTERNAL LARGE CAPACITY FEEDER	2,500-sheet capacity, A4, 60-300 g/m ²
EXTERNAL LARGE CAPACITY FEEDER	2,000-sheet capacity, A4, 60-300 g/m² (in combination with 2500-sheet feeder)
MULTI-STAPLE FINISHER	2 trays, 3,250-sheet capacity, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m² (stapling mode)
SADDLE STITCH FINISHER	2 trays, 3,250-sheet capacity, Saddle-stitched booklets of up to 60 pages, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m ² (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F), 4 holes (S)

HARD DISK DRIVE 320 GB^(L) SECURITY SOLID STATE DRIVES 512 GB^(L) FAX BOARD USB HUB ACCESSORY TRAY PANEL TEN-KEY OPTION WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct) e-BRIDGE ID-GATE ACCESSIBLE ARM

IPsec ENABLER (License) MULTI STATION PRINT ENABLER (License) META SCAN ENABLER (License) UNICODE FONT ENABLER (License) HARD COPY SECURITY KIT (License)





Serve 2022

Certified





*Optional.

(1) 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 70 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7 41460 Neuss Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m2 if not otherwise mentioned. Copyright ©2023 Toshiba Tec Germany Imaging Systems GmbH, Version 1.0

